AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1	1. (Currently amended) A method for allocating computer system
2	resources between concurrently executing workloads, comprising:
3	establishing a first resource pool that specifies requirements for each of a
4	plurality of different computer system resources, wherein the plurality of different
5	computer system resources are components of a single computer system, wherein
6	the computer system resources include central processing units and at least one of
7	memory, swap space, network interfaces, and scheduling classes, and wherein
8	establishing the first resource pool involves establishing minimum size and
9	maximum size requirements for a given resource that can be assigned to the first
10	resource pool;
11	allocating the plurality of different computer system resources to one or
12	more resource pools, including the first resource pool, to create a resource
13	allocation, wherein requirements of the first resource pool are satisfied, and
14	wherein the resources are assigned to the first resource pool, and wherein each
15	resource pool can use a different scheduling technique;
16	wherein prior to allocating the plurality of different computer system
17	resources, the method further comprises:
18	verifying that collective requirements of the one or more
19	resource pools can be satisfied, and
20	if the collective requirements cannot be satisfied, signaling
21	an error condition; and

22	wherein resources allocated to the first resource pool can change over
23	time;
24	binding a first process to the first resource pool, so that the first process
25	has access to the plurality of different computer system resources allocated to the
26	first resource pool; and
27	storing a representation of the resource allocation to non-volatile storage
28	so that the resource allocation can be reused after a machine failure.
1	2. (Original) The method of claim 1, wherein allocating the plurality of
2	different computer system resources to one or more resource pools involves:
3	partitioning each of the plurality of different computer system resources
4	into one or more partitions, wherein a first partition is associated with a first
5	resource and a second partition is associated with a second resource;
6	allocating the first partition to a single resource pool, so that only
7	processes associated with the single resource pool can access the first partition;
8	and
9	allocating the second partition to multiple resource pools so that processe
10	associated with the multiple resource pools can share the second partition.
1	3 (Canceled).
1	4. (Original) The method of claim 1, wherein establishing the first
2	resource pool involves selecting a file containing a representation of the first
3	resource pool from a plurality of possible files.
1	5 (Canceled)

1	6. (Previously presented) The method of claim 1, wherein storing the
2	representation of the resource allocation involves storing a representation of each
3	of the one or more resource pools along with associated resources.
1	7. (Previously presented) The method of claim 1, wherein storing the
2	representation of the resource allocation involves storing an Extensible Markup
3	Language (XML) representation of the resource allocation.
1	8. (Original) The method of claim 1,
2	wherein the first resource pool is associated with a first project; and
3	wherein the first process is one of a plurality of processes associated with
4	the first project.
·	FJ
1	9 (Canceled).
1	10. (Original) The method of claim 1, further comprising dynamically
2	adjusting the resource allocation during system execution.
1	11 (Canceled).
1	12. (Currently amended) A computer-readable storage medium storing
2	instructions that are executed by a computer to cause the computer to perform a
3	method for allocating computer system resources between concurrently executing
4	workloads, wherein the computer-readable storage medium includes one of a
5	volatile memory, a non-volatile memory, a disk drive, a magnetic tape, a compact
6	disc, a digital versatile disc, and a digital video disc, the method comprising:
7	establishing a first resource pool that specifies requirements for each of a

plurality of different computer system resources, wherein the plurality of different

8

9	computer system resources are components of a single computer system, wherein
10	the computer system resources include central processing units and at least one of
11	memory, swap space, network interfaces, and scheduling classes, and wherein
12	establishing the first resource pool involves establishing minimum size and
13	maximum size requirements for a given resource that can be assigned to the first
14	resource pool;
15	allocating the plurality of different computer system resources to one or
16	more resource pools, including the first resource pool, to create a resource
17	allocation, wherein requirements of the first resource pool are satisfied, and
18	wherein the resources are assigned to the first resource pool, and wherein each
19	resource pool can use a different scheduling technique;
20	wherein prior to allocating the plurality of different computer system
21	resources, the method further comprises:
22	verifying that collective requirements of the one or more
23	resource pools can be satisfied, and
24	if the collective requirements cannot be satisfied, signaling
25	an error condition; and
26	wherein resources allocated to the first resource pool can change over
27	time;
28	binding a first process to the first resource pool, so that the first process
29	has access to the plurality of different computer system resources allocated to the
30	first resource pool; and
31	storing a representation of the resource allocation to non-volatile storage
32	so that the resource allocation can be reused after a machine failure.
1	13. (Original) The computer-readable storage medium of claim 12,
2	wherein allocating the plurality of different computer system resources to one or
3	more resource pools involves:

4	partitioning each of the plurality of different computer system resources
5	into one or more partitions, wherein a first partition is associated with a first
6	resource and a second partition is associated with a second resource;
7	allocating the first partition to a single resource pool, so that only
8	processes associated with the single resource pool can access the first partition;
9	and
10	allocating the second partition to multiple resource pools so that processes
11	associated with the multiple resource pools can share the second partition.
1	14 (Canceled).
•	
1	15. (Original) The computer-readable storage medium of claim 12,
2	wherein establishing the first resource pool involves selecting a file containing a
3	representation of the first resource pool from a plurality of possible files.
	5
1	16 (Canceled).
1	17. (Previously presented) The computer-readable storage medium of
2	claim 12, wherein storing the representation of the resource allocation involves
3	storing a representation of each of the one or more resource pools along with
4	associated resources.
1	18. (Previously presented) The computer-readable storage medium of
1	· · · · · · · · · · · · · · · · · · ·
2	claim 12, wherein storing the representation of the resource allocation involves
3	storing an Extensible Markup Language (XML) representation of the resource

allocation.

1

wherein the first resource pool is associated with a first project; and
wherein the first process is one of a plurality of processes associated with
the first project.
20 (Canceled).
21. (Original) The computer-readable storage medium of claim 12,
wherein the method further comprises dynamically adjusting the resource
allocation during system execution.
22 (Canceled).
23. (Currently amended) A computer system that allocates computer
system resources between concurrently executing workloads, comprising:
an establishment mechanism that is configured to establish a first resource
pool that specifies requirements for each of a plurality of different computer
system resources, wherein the plurality of different computer system resources are
components of a single computer system, wherein the computer system resources
include central processing units and at least one of memory, swap space, network
interfaces, and scheduling classes, and wherein the establishment mechanism is
configured to establish minimum size and maximum size requirements for a giver
resource that can be assigned to the first resource pool;
an allocation mechanism that is configured to allocate the plurality of
different computer system resources to one or more resource pools, including the
first resource pool, to create a resource allocation, wherein requirements of the

first resource pool are satisfied, wherein the resources are assigned to the first

resource pool, and wherein resources allocated to the first resource pool can

14

15

16	change over time, and wherein each resource pool can use a different scheduling
17	technique;
18	a verification mechanism that is configured to verify that collective
19	requirements of the one or more resource pools can be satisfied;
20	wherein if the collective requirements cannot be satisfied, the verification
21	mechanism is configured to signal an error condition;
22	a binding mechanism that is configured to bind a first process to the first
23	resource pool, so that the first process has access to the plurality of different
24	computer system resources allocated to the first resource pool; and
25	an archiving mechanism that is configured to store a representation of the
26	resource allocation to non-volatile storage so that the resource allocation can be
27	reused after a machine failure.
1	24. (Previously presented) The computer system of claim 23, wherein the
2	allocation mechanism is configured to:
3	partition each of the plurality of different computer system resources into
4	one or more partitions, wherein a first partition is associated with a first resource
5	and a second partition is associated with a second resource;
6	allocate the first partition to a single resource pool, so that only processes
7	associated with the single resource pool can access the first partition; and to
8	allocate the second partition to multiple resource pools so that processes
9	associated with the multiple resource pools can share the second partition.
1	25 (Canceled).
1	26. (Previously presented) The computer system of claim 23, wherein the
2	establishment mechanism is configured to select a file containing a representation
3	of the first resource pool from a plurality of possible files.

1	27 (Canceled).
1	28. (Previously presented) The computer system of claim 23, wherein the
2	archiving mechanism is configured to store a representation of each of the one or
3	more resource pools along with associated resources.
1	29. (Previously presented) The computer system of claim 23, wherein the
2	archiving mechanism is configured to store an Extensible Markup Language
3	(XML) representation of the resource allocation.
1	30. (Previously presented) The computer system of claim 23,
2	wherein the first resource pool is associated with a first project; and
3	wherein the first process is one of a plurality of processes associated with
4	the first project.
1	31 (Canceled).

- 32. (Previously presented) The computer system of claim 23, further
 comprising an adjustment mechanism that is configured to dynamically adjust the
 resource allocation during system execution.
- 1 33 (Canceled).